1874	L Number	Hits	Search Text	DB	Time stamp
Company Continue	-	2	("6615217").PN.	USPAT;	2004/09/24 09:39
111396					
Criscolesias" "6098129" "6442663" "6529976").PN. USPAT:					
111396			·		
111396 1709/\$3 or 370/\$6 or 711/\$3 or 710/\$3) ccls. and (@AD			(UTO 0 0 0 0 0 1 1 10 0 0 0 0 0 0 1 1 10 0 1 10 0 0 0 0 1 1 110 TO 0 0 7 0 11) DM		2004/00/21 10:50
20010029 or @RLAD <20010629 or @PRAD <20010629 US-PGPUB; EPO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 10:17 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 10:17 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 10:17 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 10:17 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 09:51 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 16:57 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 16:57 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 16:57 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 16:57 US-PGPUB; PO. JPO. DERWENT; BM TDB USPAT; 2004/09/24 11:53 USPAT; 2004/09/24 11:53 USPAT; 2004/09/24 11:53 USPAT; 2004/09/24 11:53 USPAT; 2004/09/24 10:64 USPAT; 2004/09/24 10:	-		("5296636" "6098129" "6442663" "6529976").PN.		
163	-	111396	(/09/\$3 or 3/0/\$6 or /11/\$3 or /10/\$3).ccis. and (@AU		2004/09/24 09.32
163			<20010629 or @RLAD <20010629 or @PRAD <20010629)		
183					
163					
September Sept		162	(/700/\$2 or 270/\$6 or 711/\$2 or 710/\$2) cels, and (@AD		2004/09/24 10:17
and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) 5 (((709)\$3 or 370)\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (((copen\$3 or establish\$3) near10 (session or connectson or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connectson or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (((copen\$3 or establish\$3) near10 (session or connectson or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (f	-	103	((709/93 01 370/90 01 771/93 01 710/93).ccis. and (@70 <20010629 or @PLAD <20010629)		200 1100/2 1 10:11
disk)			and API with (read\$3 or writ\$3 or access\$3) adi10 (file or		
Section Sect					
2004/09/24 09:51 SPAT; 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 09:51 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 09:51 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 2004/09/24 11:53 200			disk)		
C20010629 or @RLAD <20010629 or @PRAD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or	_	5	(((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3),ccls, and (@AD		2004/09/24 09:51
and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @PRAD <20010629 or @PRAD <20010629 or @PRAD <20010629 or @PRAD <20010629 or disk) and (@AD <20010629 or d		J	<20010629 or @RI AD <20010629 or @PRAD <20010629))		
disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @RLAD <20010629 or @RRAD <20010629 or @			and API with (read\$3 or writ\$3 or access\$3) adi10 (file or		
connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @RLAD <20010629 or			disk)) and (open\$3 or establish\$3) near10 (session or		
adj10 (file or disk) (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) 399 ((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @RLAD			connection or TCP/IP) with (read\$3 or writ\$3 or access\$3)		
473				_	
TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) 399 ((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RAD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) adj10 (file or disk) adj10 (file or disk)) and (open\$3 or open\$4 or establish\$3) adj10 (file or disk) adj10 (file or disk)) and (open\$4 or open\$4 or establish\$3) adj10 (file or disk) and (open\$4 or open\$4 or establish\$3) adj10 (file or disk) and (open\$4 or open\$4 or establish\$3) adj10 (file or disk) and (open\$4 or open\$4	-	473	(open\$3 or establish\$3) near10 (session or connection or	USPAT;	2004/09/24 09:51
disk Gero			TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or		
DERWENT; IBM_TDB US-PGPUB; Usersion or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @RLAD <20010629 or GPRAD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (GPPRAD <20010629 or GPRAD <20010				EPO; JPO;	
Copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) or @RLAD <20010629 or @RLAD <20010629 or @PRAD <20010629) or @P			•	DERWENT;	
TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @				IBM_TDB	
disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @PRAD <20010629 or @PRAD <20010629 or DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; ISPO; JPO; DERWENT; ISPO; JPO; DERWENT; IBM_TDB US-PGPUB; ISPO; JPO; DERWENT; ISPO; JPO; JPO; DERWENT; ISPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	399		· ·	2004/09/24 16:57
@PRAD <20010629) 2					
Compast of establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) or @RLAD <20010629 or @RLAD <20010629 or distribut\$3) adj10 (file or disk) and ((((709)\$3 or 370)\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @RAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RAD <20010629 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or writ\$3 or access\$3) adj10 (file or disk)) and (writ\$3 or access\$3) adj10 (file or disk) and (writ\$3 or access\$3) adj10 (file or disk) and (writ\$3 or access\$3) adj10 (file or disk) and (writ\$3 or access\$3 adj10 (file or disk) and (writ\$3 or access\$3 adj10 (file or disk) and (writ\$3 or acce					
2 (((copen\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (@AD <20010629 or @RLAD <20010629 or @RCPAD <20010629) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) (((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) or @RCPAD <20010629) or @RCPAD <20010629 or @RCPAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) (USPAT; USPAT; USPACDUS, USPAT; USPACDUS, USPAT; USP			@PRAD <20010629)	l '	
TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) or @RLAD <20010629 or or @REMENT; lBM_TDB USPAT; US-PGPUB; and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ((((709)\$3 or 370)\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629) or @RLAD <20010629 or @RPAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) (session		_			0004/00/04 44 50
disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk) ((((709)\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((((709)\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) adj10 (file or disk)) (((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) adj10 (file or disk)) adj10 (file or disk) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <200106	-	2	(((open\$3 or establish\$3) near10 (session or connection or		2004/09/24 11:53
@PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk) ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD < 20010629 or @RLAD < 20010629) us-PRAD < 20010629 or @RLAD < 20010629 or @RAD < 20010629) ush defined the first but\$3 adj10 (file or disk) ush ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD < 20010629) ush defined the first but\$3 adj10 (file or disk)) ush (passion or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD < 20010629 or @RAD < 20010629) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD < 20010629) or @RAD < 20010629 or @RAD < 20010629 or @RAD < 20010629 or @RAD < 20010629) ush and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or access\$3) adj10 (file or disk) ush (read\$3 or writ\$3 or acce			TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or		
distribut\$3) adj10 (file or disk) ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD < 20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) adj10 (file or disk)) USPAT; USPAT; USPAT; USPAT; USPAD; 2004/09/24 11:52 (2004/09/24					
1 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 6 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or Writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) USPAT;					
Control Cont		1			2004/09/24 09:54
and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 6 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @PRAD <20010629 or @PRAD <20010629)) - 1365 (709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629))	-	'		1	2004/03/24 03.54
disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629) or @RLAD <20010629 or @PRAD <20010629) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 66 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @RLAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629))					
Connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @RAD <20010629 or @RAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) (((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @PRAD <20010629)) USPAT; USPAD;			disk)) and (open\$3 or establish\$3) pear10 (session or		
adj10 (file or disk)) and ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) 6 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629))					
(session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((((709)\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @RLAD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709)\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	1				
access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 6 ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629 or @RLAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) - 2004/09/24 11:52					
@RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) 1365 (20010629 or @RLAD <20010629 or @PRAD <20010629)) USPAT; US-PGPUB; 2004/09/24 11:52					
(network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) 1365 (20010629 or @RLAD <20010629 or @PRAD <20010629)) USPAT; 2004/09/24 11:52			@RLAD <20010629 or @PRAD <20010629)) and API with		
 <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) 			(network\$2 or remote\$ or distribut\$3) adj10 (file or disk))		
and API with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629)) - 20010629 or @RLAD <20010629 or @PRAD <20010629)) USPAT; US-PGPUB;] -	6			2004/09/24 10:06
disk)) and (open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD					
connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) or (((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD VSPAT; <20010629 or @RLAD <20010629 or @PRAD <20010629)) USPGPUB;					
adj10 (file or disk)) or ((((open\$3 or establish\$3) near10 (session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;					
(session or connection or TCP/IP) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;	1			IRW_LDB	
access\$3) adj10 (file or disk)) and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;					
@RLAD <20010629 or @PRAD <20010629)) and API with (network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) - 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;					
(network\$2 or remote\$ or distribut\$3) adj10 (file or disk)) ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;					
- 1365 ((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD USPAT; 2004/09/24 11:52 <20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;					
<20010629 or @RLAD <20010629 or @PRAD <20010629)) US-PGPUB;		126F		LISDAT:	2004/00/24 11-52
	<u> </u>	1305			2004/08/24 11.52
		*			,
or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or DERWENT;					
server or unit or controller)					

-	55	(((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:48
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	
		and (remote\$3 or direct\$3 or network or internet) with (read\$3	EPO; JPO;	
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	DERWENT;	
1		server or unit or controller)) and API and heterogeneous	IBM_TDB USPAT;	2004/09/24 10:45
-	1	"08/939,069"	US-PGPUB;	2004/03/24 10.43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	41	((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 10:58
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	
1		and (remote\$3 or direct\$3 or network or internet) with (read\$3	EPO; JPO;	
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	DERWENT;	
		server or unit or controller)) and API and heterogeneous) and	IBM_TDB	
		(block\$3 or mashal\$3 or stream\$3 or encapsulat\$3) near5		
		(data or record or file)	LICDAT.	2004/09/24 11:14
-	38	((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT; US-PGPUB;	2004/09/24 11.14
		<20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote\$3 or direct\$3 or network or internet) with (read\$3	EPO; JPO;	
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	DERWENT;	
		server or unit or controller)) and API and heterogeneous) and	IBM TDB	
	.	(block\$3) near5 (data or record or file)		
-	20	((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 10:59
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	
	'	and (remote\$3 or direct\$3 or network or internet) with (read\$3	EPO; JPO;	
•		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	DERWENT;	
		server or unit or controller)) and API and heterogeneous) and	IBM_TDB	
		(blocking) near5 (data or record or file)	LICDAT	2004/00/24 44:44
-	18	(((((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:14
		<20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remote\$3 or direct\$3 or network or internet) with (read\$3	US-PGPUB; EPO; JPO;	
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	DERWENT;	
		server or unit or controller)) and API and heterogeneous) and	IBM TDB	
	*	(block\$3) near5 (data or record or file)) not ((((709/\$3 or	.5 55	
		370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD <20010629 or		
		@RLAD <20010629 or @PRAD <20010629)) and (remote\$3		
		or direct\$3 or network or internet) with (read\$3 or writ\$3 or		
		access\$3) adj10 (file or disk) adj3 (system or server or unit or		
		controller)) and API and heterogeneous) and (blocking) near5		
		(data or record or file))	LIODAT	0004/00/04 44 50
-	39	((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:50
		<20010629 or @RLAD <20010629 or @PRAD <20010629)) and (remate \$2 or dispet \$2) is about the free of \$2 or write \$2 o	US-PGPUB; EPO; JPO;	
		and (remote\$3 or direct\$3).ti,ab. with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or server or unit or	DERWENT:	
		controller)	IBM_TDB	
_	1	(((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:55
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	
		and (remote\$3 or direct\$3).ti,ab. with (read\$3 or writ\$3 or	EPO; JPO;	
	1	access\$3) adj10 (file or disk) adj3 (system or server or unit or	DERWENT;	
		controller)) and API and heterogeneous	IBM_TDB	
-	6	(((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:49
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	
		and (remote\$3 or direct\$3).ti,ab. with (read\$3 or writ\$3 or	EPO; JPO; DERWENT;	
		access\$3) adj10 (file or disk) adj3 (system or server or unit or controller)) and API	IBM_TDB	
_	14	((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:51
		((709)\$3 01 370/\$0 01 711/\$3 01 710/\$3).ccis. and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB:	200 110012-7 11.01
		and (remote\$3).ti,ab. with (read\$3 or writ\$3 or access\$3)	EPO; JPO;	
		adj10 (file or disk) adj3 (system or server or unit or controller)	DERWENT;	
			IBM_TDB	
-	3	(((709/\$3 or 370/\$6 or 711/\$3 or 710/\$3).ccls. and (@AD	USPAT;	2004/09/24 11:51
		<20010629 or @RLAD <20010629 or @PRAD <20010629))	US-PGPUB;	-
		and (remote\$3).ti,ab. with (read\$3 or writ\$3 or access\$3)	EPO; JPO;	
		adj10 (file or disk) adj3 (system or server or unit or controller))	DERWENT;	
		and API	IBM_TDB	

				00011001011
-	4127	(remote\$3 or direct\$3 or network or internet) with (read\$3 or	USPAT;	2004/09/24 11:52
		writ\$3 or access\$3) adj10 (file or disk) adj3 (system or server	US-PGPUB;	
		or unit or controller)	EPO; JPO;	
			DERWENT;	
	20	//	IBM_TDB	2004/09/24 11:55
-	36	((remote\$3 or direct\$3 or network or internet) with (read\$3 or	USPAT; US-PGPUB;	2004/09/24 11.55
		writ\$3 or access\$3) adj10 (file or disk) adj3 (system or server		
		or unit or controller)) and API with (first and second)	EPO; JPO; DERWENT;	
			IBM_TDB	
	3303	((remote\$3 or direct\$3 or network or internet) with (read\$3 or	USPAT;	2004/09/24 16:58
-	3303	writ\$3 or access\$3) adj10 (file or disk) adj3 (system or server	US-PGPUB;	200 1700/21 10:00
		or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		<20010629 or @PRAD <20010629)	DERWENT;	
			IBM TDB	
_	24	(((remote\$3 or direct\$3 or network or internet) with (read\$3	USPAT;	2004/09/24 11:55
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	US-PGPUB;	
		server or unit or controller)) and API with (first and second))	EPO; JPO;	
		and (@AD <20010629 or @RLAD <20010629 or @PRAD	DERWENT;	
	1	<20010629)	IBM_TDB	
-	8	((((remote\$3 or direct\$3 or network or internet) with (read\$3	USPAT;	2004/09/24 11:56
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	US-PGPUB;	
		server or unit or controller)) and API with (first and second))	EPO; JPO;	
		and (@AD <20010629 or @RLAD <20010629 or @PRAD	DERWENT;	
		<20010629)) and heterogeneous	IBM_TDB	0004/00/04 40 00
-	255	(((remote\$3 or direct\$3 or network or internet) with (read\$3 or	USPAT;	2004/09/24 16:20
		writ\$3 or access\$3) adj10 (file or disk) adj3 (system or server	US-PGPUB;	
		or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		<20010629 or @PRAD <20010629)) and peer adj3 (peer or appropriate or adjact or appropriate or adjact or appropriate or adjact or appropriate or adjact or	DERWENT;	
	0	computer or client or server or application)	IBM_TDB USPAT;	2004/09/24 16:21
-		((((remote\$3 or direct\$3 or network or internet) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	US-PGPUB;	2004/03/24 10.21
		server or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		<20010629 or @PRAD <20010629)) and peer adj3 (peer or	DERWENT;	
		computer or client or server or application)) and between	IBM_TDB	
		near10 peer adj3 (peer or computer or client or server or		
		application)		
-	0	((((remote\$3 or direct\$3 or network or internet) with (read\$3	USPAT;	2004/09/24 16:57
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	US-PGPUB;	
·		server or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		<20010629 or @PRAD <20010629)) and peer adj3 (peer or	DERWENT;	
		computer or client or server or application)) and (read\$3 or	IBM_TDB	
		writ\$3 or access\$3 or shar\$3) adj5 (file or data or information		
		or document) with between with peer adj3 (peer or computer		
	37	or client or server or application)	LICDAT:	2004/00/24 46:47
_	27	((((remote\$3 or direct\$3 or network or internet) with (read\$3 or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	USPAT; US-PGPUB;	2004/09/24 16:47
		server or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		Server of unit of controller) and (@AD <20010629 of @READ <20010629) and peer adj3 (peer or	DERWENT;	
		computer or client or server or application)) and (read\$3 or	IBM_TDB	
		writ\$3 or access\$3 or shar\$3) adj5 (file or data or information	.0	
	-	or document) with peer adj3 (peer or computer or client or		
		server or application)		
-	13	(((((remote\$3 or direct\$3 or network or internet) with (read\$3	USPAT;	2004/09/24 16:40
		or writ\$3 or access\$3) adj10 (file or disk) adj3 (system or	US-PGPUB;	
		server or unit or controller)) and (@AD <20010629 or @RLAD	EPO; JPO;	
		<20010629 or @PRAD <20010629)) and peer adj3 (peer or	DERWENT;	
		computer or client or server or application)) and (read\$3 or	IBM_TDB	
		writ\$3 or access\$3 or shar\$3) adj5 (file or data or information		
		or document) with peer adj3 (peer or computer or client or		
		server or application)) and API	USPAT	0004/00/04 40:55
-	7	(("6718372") or ("6654794") or ("6571282") or ("6356863") or ("6453325") or ("6567828") or ("6397258")).PN.	USFAT	2004/09/24 16:55
	L	(0400020) OI (0007020) OI (0007200)).PIN.	L	

-	2	((("6718372") or ("6654794") or ("6571282") or ("6356863") or	USPAT;	2004/09/24 16:59
		("6453325") or ("6567828") or ("6397258")).PN.) and peer	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	46	API with NFS and (@AD <20010629 or @RLAD <20010629	USPAT:	2004/09/24 16:58
		or @PRAD <20010629)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
		(ADI: 31 NEO 1 (OAD -00010000 ODI AD -200110000	IBM_TDB	2004/09/24 16:58
-	24	(API with NFS and (@AD <20010629 or @RLAD <20010629 or @PRAD <20010629)) and (((remote\$3 or direct\$3 or	USPAT; US-PGPUB;	2004/09/24 10:36
		network or internet) with (read\$3 or writ\$3 or access\$3) adj10	EPO: JPO:	
		(file or disk) adj3 (system or server or unit or controller)) and	DERWENT;	
		(@AD <20010629 or @RLAD <20010629 or @PRAD	IBM_TDB	
		<20010629))	LIODAT	0004/00/04 40:50
-	1	((API with NFS and (@AD <20010629 or @RLAD <20010629	USPAT; US-PGPUB;	2004/09/24 16:59
		or @PRAD <20010629)) and (((remote\$3 or direct\$3 or network or internet) with (read\$3 or writ\$3 or access\$3) adj10	EPO: JPO:	
		(file or disk) adj3 (system or server or unit or controller)) and	DERWENT;	
		(@AD <20010629 or @RLAD <20010629 or @PRAD	IBM_TDB	
		<20010629))) and peer		